


m o o o i[®]



Random Light Led floor lamp

For the first time the Random Light stops drifting and comes down to earth...literally! Random Light LED floor lamp is the first floor lamp available from the Random light family.

Designer	Bertjan Pot
Year of design	2010
Material	fibreglass soaked in epoxy resin, matt chromed steel base (white), semi gloss black powder coated base (black), matt aluminium heat sink and opal glas

m o o o i[®]

detailing




Touch dimmer integrated in base.


colours



White



Black



White base



Black base

technical



general

Input voltage of 240V ~ 50Hz/ 60 Hz AC

Power supply included in Base

The average service life of Random light LED is 50,000 hours, while maintaining +70% of the light output.

small

Power consumption 8,75W (72lm/W)

Colour temperature (degrees Kelvin, K) 2700K

(warm white)

Luminous flux (Lumen, lm) 636lm

medium

Power consumption 11,5W (75lm/W)

Colour temperature (degrees Kelvin, K) 2700K

(warm white)

Luminous flux (Lumen, lm) 863lm

technical Mexico USA Canada

2-pin plug, 110V ~ 50Hz/ 60 Hz AC

not cULus listed

packaging

small - base

H 195 cm | 76.8"
W 40 cm | 15.7"
D 40 cm | 15.7"

Colli 1/2

Product weight:
4,6 KG | 10,1 lb

With packaging:
7 KG | 15,4 lb

medium - base

H 214 cm | 84.3"
W 40 cm | 15.7"
D 40 cm | 15.7"

Colli 1/2

Product weight:
4,8 KG | 10,6 lb

With packaging:
7,2 KG | 15,9 lb

small - shade

H 53 cm | 20.9"
W 51 cm | 20.1"
D 51 cm | 20.1"

Colli 2/2

Product weight:
1,2 KG | 2,6 lb

With packaging:
2,7 KG | 6 lb

medium - shade

H 88 cm | 34.6"
W 87 cm | 34.3"
D 87 cm | 34.3"

Colli 2/2

Product weight:
1,8 KG | 4 lb

With packaging:
6,2 KG | 13,7 lb

cleaning instructions

Due to the intricacy of the Random light it is advised to regularly use a feather duster to remove dust particles.

m o o i[®]

dimensions

